



DOLLE®

OUTDOOR STAIRCASES

CREATE ACCESS FOR GARDENS - ALL SEASONS



GARDENTOP STAIRCASE

**SAFE, STURDY AND WEATHER RESISTANT STAIRCASE
DESIGNED WITH CLEAN LINES**

DOLLE GARDENTOP is a straight flight staircase for outdoor use in galvanized steel. The staircase create access from your house to your garden, from your balcony to the ground floor, from your terrace to your bedroom – in many ways this outdoor staircase can connect floors and levels of your outdoor living space while decorating it with clean and pure lines.

WEATHER RESISTANT AND SAFE IN WET WEATHER

This outdoor staircase is made of weather resistant material and the use of stair is safe even in wet conditions. Therefore, this staircase is made of hot-dip galvanized steel side panels that are used for the stringers. 2 different treads are available. One is perforated sheets in hot-dip galvanized steel or TRIMAX® treads in anthracite or dark brown composite (Fiberglass reinforced plastic). Choose the colour you prefer. The staircase is ideal for terraces with low heights as well as a connection to the upper floor from your garden. By assembling individual sections, the desired heights can easily be achieved.

DESIGN YOUR OWN GARDENTOP STAIR IN 4 STEPS

1 HEIGHT

TREADS	HEIGHT
2	36 – 44 cm
3	54 – 66 cm
4	72 – 88 cm
5	90 – 110 cm
6	108 – 132 cm
7	126 – 154 cm
8	144 – 176 cm
9	162 – 198 cm
10	180 – 220 cm
11	198 – 242 cm
12	216 – 264 cm

2 TREADS WIDTH

80 cm	100 cm
-------	--------

3 TREADS TYPE



Metal perforated treads
Hot galvanized according to EN ISO 1461:2009




TRIMAX® anthracite composite
Fiberglass reinforced plastic



TRIMAX® dark brown composite
Fiberglass reinforced plastic

4 STAIR BANISTER

You can pick your GARDENTOP staircase without a banister or add more safety with our stylish banister with handrail made of aluminium (Ø40mm) and vertical balusters in hot-dip galvanized steel (Ø25mm).



Metal perforated treads

ADVANTAGES

- » Extremely weather resistant
- » Safe treads
- » Hot-dip galvanized steel side panels.
- » Elegant design with clean lines.
- » No maintenance
- » Easy installation
- » High flexibility
- » Strong and stable staircase tested up to 700 kg total load. Max point load: 200 kg.
- » Complies with current European building standards defined in EN 1991 and EN 1993.



Metal perforated treads



TRIMAX® dark brown



TRIMAX® anthracite



TORONTO SPIRAL STAIRCASE

**SPIRAL STAIRCASE FOR OUT
- AND INDOOR IN METAL WITH GOOD COMFORT**

This spiral staircase meets all the requirements for design, appearance, and functionality of a modern-day exterior staircase. The treads are perforated plate ideal for safety and comfort.

WEATHER RESISTANT STAIRCASE EASY TO INSTALL

Designed for convenience, from the balcony to the garden occupying the smallest of space. The DOLLE TORONTO is the ideal solution. The banister with round bars is hot dip galvanized and finished with a rounded plastic handrail. Matching landing banister is available as starter section followed by extension kit 1 metre at a time. The treads are made of hot dip galvanized perforated sheet steel and are very durable easy to maintain and clean. The perforation on the top tread is slip-resistant and ensures effective drainage of water, for safe access.

DIAMETERS




HEIGHT - Ø125 & Ø155 CM

TRE ADS	HEIGHT
11	246.0 - 282.0 cm
12	266.5 - 305.5 cm
13	287.0 - 329.0 cm
14	307.5 - 352.5 cm
15	328.0 - 376.0 cm

HEIGHT - Ø185 CM

TRE ADS	HEIGHT
11	246.0 - 282.0 cm
12	266.5 - 305.5 cm
13	287.0 - 329.0 cm
14	307.5 - 352.5 cm

TURN



Left turn

Right turn

TREADS


Material:
Metal, perforated

Finish:
Hot galvanized
according to EN ISO 1461:2009



ADVANTAGES

- » Extremely weather resistant
- » Take up very little room below
- » Weather-resistant staircase
- » No maintenance
- » Top-quality
- » Treads in hot-dip galvanized perforated sheet steel





**SPIRAL STAIRCASE
FOR OUTDOOR IN
METAL WITH GOOD
COMFORT**

DOLLE®

DOLLE UK Ltd.

Hawthorne Suite,
Lynderswood Farm
Lynderswood Lane
Braintree
CM77 8JT Essex

Tel.: 01376 528000
E-Mail: uksales@dolle.com